ELSEVIER

Hearing Research 172 (2002) 196–197

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 172

Alosi, J.A., see Roberson, D.W. (172) 62
Arrigo, T., see Wasniewska, M. (172) 87

Bodmer, D., Brors, D., Pak, K., Gloddek, B. and Ryan, A.F.
Rescue of auditory hair cells from aminoglycoside toxicity by *Clostridium difficile* toxin B, an inhibitor of the small GTPases Rho/Rac/Cdc42 (172) 81
Borg, E. and Viberg, A.
Extra inner hair cells in the developing rabbit cochlea (172) 10
Brors, D., see Bodmer, D. (172) 81

Cabanillas, L.A. and Luebke, A.E.
CGRP- and cholinergic-containing fibers project to guinea pig outer hair cells (172) 14
Chen, G.-D.
Effect of hypoxia on noise-induced auditory impairment (172) 186
Cotanche, D.A., see Roberson, D.W. (172) 62

De Luca, F., see Wasniewska, M. (172) 87
de Vocht, T.F., see Wolters, F.L.C. (172) 110
Dehmel, S., Kopp-Scheinpflug, C., Dörrscheidt, G.J. and Rübsamen, R.
Electrophysiological characterization of the superior paraolivary nucleus in the Mongolian gerbil (172) 18
Dörrscheidt, G.J., see Dehmel, S. (172) 18
Druga, R., see Syka, J. (172) 151

Fukazawa, T.
How can the cochlear amplifier be realized by the outer hair cells which have nothing to push against? (172) 53

Gerlach, U., see Hartmann, R. (172) 145
Gloddek, B., see Bodmer, D. (172) 81
Guth, P.S., see Hendricson, A.W. (172) 99

Hamers, F.P.T., see Wolters, F.L.C. (172) 110
Hartmann, R., Gerlach, U. and Klinke, R.
Ototoxic side-effects of the I_{Ks}-channel blocker HMR1556 (172) 145
Hellier, W.P.L., Wagstaff, S.A., O'Leary, S.J. and Shepherd, R.K.
Functional and morphological response of the stria vascularis following a sensorineural hearing loss (172) 127
Henderson, D., see Hu, B.H. (172) 1
Hendricson, A.W. and Guth, P.S.
Transmitter release from *Rana pipiens* vestibular hair cells via mGluRs: A role for intracellular Ca^{++} release (172) 99
Hoffman, L.F. and Honrubia, V.
Fiber diameter distributions in the chinchilla's ampullary nerves (172) 37
Honrubia, V., see Hoffman, L.F. (172) 37
Hu, B.H., Henderson, D. and Nicotera, T.M.
F-actin cleavage in apoptotic outer hair cells in chinchilla cochleas exposed to intense noise (172) 1

Kaltenbach, J.A., see Zacharek, M.A. (172) 137
Klinke, R., see Hartmann, R. (172) 145
Klis, S.F.L., see Wolters, F.L.C. (172) 110
Kopp-Scheinpflug, C., see Dehmel, S. (172) 18

Lang, H., Schulte, B.A. and Schmiedt, R.A.
Endocochlear potentials and compound action potential recovery: functions in the C57BL/6J mouse (172) 118
Lombardo, F., see Wasniewska, M. (172) 87
Luebke, A.E., see Cabanillas, L.A. (172) 14

Mathog, T.A., see Zacharek, M.A. (172) 137
Mazelová, J., see Syka, J. (172) 151
Mercola, M., see Roberson, D.W. (172) 62
Messina, M.F., see Wasniewska, M. (172) 87

Nicotera, T.M., see Hu, B.H. (172) 1
Nuttall, A.L., see Shi, X. (172) 73

O'Leary, S.J., see Hellier, W.P.L. (172) 127

Pak, K., see Bodmer, D. (172) 81
Palmer, A.R., see Wallace, M.N. (172) 160

Roberson, D.W., Alosi, J.A., Mercola, M. and Cotanche, D.A.
REST mRNA expression in normal and regenerating avian auditory epithelium (172) 62
Rübsamen, R., see Dehmel, S. (172) 18
Ruggeri, C., see Wasniewska, M. (172) 87
Ryan, A.F., see Bodmer, D. (172) 81
Rybalko, N., see Syka, J. (172) 151

Salzano, G., see Wasniewska, M. (172) 87
Schmiedt, R.A., see Lang, H. (172) 118
Schulte, B.A., see Lang, H. (172) 118
Schulte, B.A., see Spicer, S.S. (172) 172
Shackleton, T.M., see Wallace, M.N. (172) 160
Shepherd, R.K., see Hellier, W.P.L. (172) 127
Shepherd, R.K. and Xu, J.
A multichannel scala tympani electrode array incorporating a drug delivery system for chronic intracochlear infusion (172) 92
Shi, X. and Nuttall, A.L.
The demonstration of nitric oxide in cochlear blood vessels in vivo and in vitro: the role of endothelial nitric oxide in venular permeability (172) 73
Siclari, S., see Wasniewska, M. (172) 87
Smoorenburg, G.F., see Wolters, F.L.C. (172) 110
Spicer, S.S. and Schulte, B.A.
Spiral ligament pathology in quiet-aged gerbils (172) 172
Syka, J., Rybalko, N., Mazelová, J. and Druga, R.
Gap detection threshold in the rat before and after auditory cortex ablation (172) 151

Valenzise, M., see Wasniewska, M. (172) 87
Viberg, A., see Borg, E. (172) 10

PII: S0378-5955(02)00662-7

Wagstaff, S.A., see Hellier, W.P.L. (172) 127
Wallace, M.N., Shackleton, T.M. and Palmer, A.R.
Phase-locked responses to pure tones in the primary auditory cortex (172) 160
Wasniewska, M., De Luca, F., Siclari, S., Salzano, G., Messina, M.F., Lombardo, F., Valenzise, M., Ruggeri, C. and Arrigo, T.
Hearing loss in congenital hypothalamic hypothyroidism: a wide therapeutic window (172) 87
Wolters, F.L.C., de Vocht, T.F., Klis, S.F.L., Hamers, F.P.T. and Smoorenburg, G.F.
Co-treatment with melanotan-II, a potent melanocortin, does not protect against cisplatin ototoxicity (172) 110
Xu, J., see Shepherd, R.K. (172) 92
Zacharek, M.A., Kaltenbach, J.A., Mathog, T.A. and Zhang, J.
Effects of cochlear ablation on noise induced hyperactivity in the hamster dorsal cochlear nucleus: implications for the origin of noise induced tinnitus (172) 137
Zhang, J., see Zacharek, M.A. (172) 137

ELSEVIER

Hearing Research 172 (2002) 198–201

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 172

Acetylcholinesterase
Cochlea; Efferent system; Immunohistochemistry; Calcitonin gene-related peptide; Guinea pig (Cabanillas, L.A. (172) 14)

Active amplification
Outer hair cell; Cochlear model; Micromechanics (Fukazawa, T. (172) 53)

Afferent
Vestibular; Crista ampullares; Labyrinth (Hoffman, L.F. (172) 37)

Aging
Cochlea; Lateral wall; Fibrocytes; Ultrastructure; Presbyacusis (Spicer, S.S. (172) 172)

Aminoglycoside
Stria vascularis; Endocochlear potential; Deafness; Ototoxicity; K^+ ion transport (Hellier, W.P.L. (172) 127)

Aminoglycoside toxicity
Clostridium difficile toxin B; G protein; Hair cell; c-Jun-N-terminal kinase; Rho/Rac/Cdc42 (Bodmer, D. (172) 81)

Apoptosis
Filamentous actin; Noise; Hair cell; Caspase (Hu, B.H. (172) 1)

Audiological evaluation
Deafness; Hearing loss; Hypothalamic hypothyroidism; Therapeutic window; Thyroid failure (Wasniewska, M. (172) 87)

Auditory cortex
Gap detection; Temporal resolution; Bilateral ablation; Rat (Syka, J. (172) 151)

Auditory nerve
Endocochlear potential; Compound action potential; C57 BL/6J mice; Forward masking; Presbyacusis (Lang, H. (172) 118)

Bilateral ablation
Gap detection; Temporal resolution; Auditory cortex; Rat (Syka, J. (172) 151)

Blood-labyrinth barrier
Potassium channel; Ototoxicity; Hearing loss; Cochlear action potential; Stria vascularis (Hartmann, R. (172) 145)

C57 BL/6J mice
Endocochlear potential; Compound action potential; Auditory nerve; Forward masking; Presbyacusis (Lang, H. (172) 118)

Calcitonin gene-related peptide
Cochlea; Efferent system; Immunohistochemistry; Acetylcholinesterase; Guinea pig (Cabanillas, L.A. (172) 14)

Caspase
Apoptosis; Filamentous actin; Noise; Hair cell (Hu, B.H. (172) 1)

Chicken
Hair cell; Regeneration; DNA-binding protein; Transcription factor (Roberson, D.W. (172) 62)

Cisplatin
Guinea pig; Compound action potential; Ototoxicity; Protection; Melanotan-II (Wolters, F.L.C. (172) 110)

c-Jun-N-terminal kinase
Aminoglycoside toxicity; *Clostridium difficile* toxin B; G protein; Hair cell; Rho/Rac/Cdc42 (Bodmer, D. (172) 81)

Clostridium difficile **toxin B**
Aminoglycoside toxicity; G protein; Hair cell; c-Jun-N-terminal kinase; Rho/Rac/Cdc42 (Bodmer, D. (172) 81)

Cochlea
Efferent system; Immunohistochemistry; Calcitonin gene-related peptide; Acetylcholinesterase; Guinea pig (Cabanillas, L.A. (172) 14)

Lateral wall; Fibrocytes; Ultrastructure; Aging; Presbyacusis (Spicer, S.S. (172) 172)

Cochlear ablation
Hyperactivity; Spontaneous activity; Dorsal cochlear nucleus; Tinnitus (Zacharek, M.A. (172) 137)

Cochlear action potential
Potassium channel; Ototoxicity; Hearing loss; Stria vascularis; Blood-labyrinth barrier (Hartmann, R. (172) 145)

Cochlear implant
Intracochlear electrode; Drug delivery system; Cochlear infusion; Osmotic pump; Electrical stimulation; Neurotrophin; Deafness (Shepherd, R.K. (172) 92)

Cochlear infusion
Intracochlear electrode; Drug delivery system; Cochlear implant; Osmotic pump; Electrical stimulation; Neurotrophin; Deafness (Shepherd, R.K. (172) 92)

Cochlear model
Outer hair cell; Active amplification; Micromechanics (Fukazawa, T. (172) 53)

PII: S0378-5955(02)00663-9

Coincidence detection
Neural synchrony; Neural coding; Phase-locking; Vocalisation (Wallace, M.N. (172) 160)

Compound action potential
Cisplatin; Guinea pig; Ototoxicity; Protection; Melanotan-II (Wolters, F.L.C. (172) 110)

Endocochlear potential; Auditory nerve; C57 BL/6J mice; Forward masking; Presbyacusis (Lang, H. (172) 118)

Crista ampullares
Vestibular; Afferent; Labyrinth (Hoffman, L.F. (172) 37)

Deafness
Audiological evaluation; Hearing loss; Hypothalamic hypothyroidism; Therapeutic window; Thyroid failure (Wasniewska, M. (172) 87)

Intracochlear electrode; Drug delivery system; Cochlear implant; Cochlear infusion; Osmotic pump; Electrical stimulation; Neurotrophin (Shepherd, R.K. (172) 92)

Stria vascularis; Endocochlear potential; Aminoglycoside; Ototoxicity; K^+ ion transport (Hellier, W.P.L. (172) 127)

Development
Inner ear; Hair cell; Rabbit; Hearing (Borg, E. (172) 10)

4,5-Diaminofluorescein diacetate
Guinea pig; Nitric oxide synthase inhibitor; Nitro-L-arginine methyl ester; Fluorescein isothiocyanate–albumin (Shi, X. (172) 73)

DNA-binding protein
Chicken; Hair cell; Regeneration; Transcription factor (Roberson, D.W. (172) 62)

Dorsal cochlear nucleus
Hyperactivity; Spontaneous activity; Cochlear ablation; Tinnitus (Zacharek, M.A. (172) 137)

Drug delivery system
Intracochlear electrode; Cochlear implant; Cochlear infusion; Osmotic pump; Electrical stimulation; Neurotrophin; Deafness (Shepherd, R.K. (172) 92)

Efferent system
Cochlea; Immunohistochemistry; Calcitonin gene-related peptide; Acetylcholinesterase; Guinea pig (Cabanillas, L.A. (172) 14)

Electrical stimulation
Intracochlear electrode; Drug delivery system; Cochlear implant; Cochlear infusion; Osmotic pump; Neurotrophin; Deafness (Shepherd, R.K. (172) 92)

Endocochlear potential
Compound action potential; Auditory nerve; C57 BL/6J mice; Forward masking; Presbyacusis (Lang, H. (172) 118)

Stria vascularis; Deafness; Aminoglycoside; Ototoxicity; K^+ ion transport (Hellier, W.P.L. (172) 127)

Fibrocytes
Cochlea; Lateral wall; Ultrastructure; Aging; Presbyacusis (Spicer, S.S. (172) 172)

Filamentous actin
Apoptosis; Noise; Hair cell; Caspase (Hu, B.H. (172) 1)

Fluorescein isothiocyanate–albumin
Guinea pig; 4,5-Diaminofluorescein diacetate; Nitric oxide synthase inhibitor; Nitro-L-arginine methyl ester (Shi, X. (172) 73)

Forward masking
Endocochlear potential; Compound action potential; Auditory nerve; C57 BL/6J mice; Presbyacusis (Lang, H. (172) 118)

Frequency-intensity tuning
Superior paraolivary nucleus; Mongolian gerbil; Superior olivary complex; Poststimulus-time histogram; Single unit recording (Dehmel, S. (172) 18)

G protein
Aminoglycoside toxicity; *Clostridium difficile* toxin B; Hair cell; c-Jun-N-terminal kinase; Rho/Rac/Cdc42 (Bodmer, D. (172) 81)

Gap detection
Temporal resolution; Bilateral ablation; Auditory cortex; Rat (Syka, J. (172) 151)

Guinea pig
Cochlea; Efferent system; Immunohistochemistry; Calcitonin gene-related peptide; Acetylcholinesterase (Cabanillas, L.A. (172) 14)

4,5-Diaminofluorescein diacetate; Nitric oxide synthase inhibitor; Nitro-L-arginine methyl ester; Fluorescein isothiocyanate–albumin (Shi, X. (172) 73)

Cisplatin; Compound action potential; Ototoxicity; Protection; Melanotan-II (Wolters, F.L.C. (172) 110)

Hair cell
Apoptosis; Filamentous actin; Noise; Caspase (Hu, B.H. (172) 1)

Inner ear; Rabbit; Hearing; Development (Borg, E. (172) 10)

Chicken; Regeneration; DNA-binding protein; Transcription factor (Roberson, D.W. (172) 62)

Aminoglycoside toxicity; *Clostridium difficile* toxin B; G protein; c-Jun-N-terminal kinase; Rho/Rac/Cdc42 (Bodmer, D. (172) 81)

Hair cell loss
Hypoxia; Noise-induced hearing loss; Rat (Chen, G.-D. (172) 186)

Hearing
Inner ear; Hair cell; Rabbit; Development (Borg, E. (172) 10)

Hearing loss
Audiological evaluation; Deafness; Hypothalamic hypothyroidism; Therapeutic window; Thyroid failure (Wasniewska, M. (172) 87)

Potassium channel; Ototoxicity; Cochlear action potential; Stria vascularis; Blood-labyrinth barrier (Hartmann, R. (172) 145)

Hyperactivity
Spontaneous activity; Dorsal cochlear nucleus; Cochlear ablation; Tinnitus (Zacharek, M.A. (172) 137)

Hypothalamic hypothyroidism
Audiological evaluation; Deafness; Hearing loss; Therapeutic window; Thyroid failure (Wasniewska, M. (172) 87)

Hypoxia
Noise-induced hearing loss; Hair cell loss; Rat (Chen, G.-D. (172) 186)

Immunohistochemistry
Cochlea; Efferent system; Calcitonin gene-related peptide; Acetylcholinesterase; Guinea pig (Cabanillas, L.A. (172) 14)

Inner ear
Hair cell; Rabbit; Hearing; Development (Borg, E. (172) 10)

Intracochlear electrode
Drug delivery system; Cochlear implant; Cochlear infusion; Osmotic pump; Electrical stimulation; Neurotrophin; Deafness (Shepherd, R.K. (172) 92)

K^+ ion transport
Stria vascularis; Endocochlear potential; Deafness; Aminoglycoside; Ototoxicity (Hellier, W.P.L. (172) 127)

Labyrinth
Vestibular; Afferent; Crista ampullares (Hoffman, L.F. (172) 37)

Lateral wall
Cochlea; Fibrocytes; Ultrastructure; Aging; Presbyacusis (Spicer, S.S. (172) 172)

Melanotan-II
Cisplatin; Guinea pig; Compound action potential; Ototoxicity; Protection (Wolters, F.L.C. (172) 110)

Metabotropic glutamate receptor
Vestibular; Pharmacology; Signal transduction (Hendricson, A.W. (172) 99)

Micromechanics
Outer hair cell; Active amplification; Cochlear model (Fukazawa, T. (172) 53)

Mongolian gerbil
Superior paraolivary nucleus; Superior olivary complex; Frequency-intensity tuning; Poststimulus-time histogram; Single unit recording (Dehmel, S. (172) 18)

Neural coding
Neural synchrony; Coincidence detection; Phase-locking; Vocalisation (Wallace, M.N. (172) 160)

Neural synchrony
Neural coding; Coincidence detection; Phase-locking; Vocalisation (Wallace, M.N. (172) 160)

Neurotrophin
Intracochlear electrode; Drug delivery system; Cochlear implant; Cochlear infusion; Osmotic pump; Electrical stimulation; Deafness (Shepherd, R.K. (172) 92)

Nitric oxide synthase inhibitor
Guinea pig; 4,5-Diaminofluorescein diacetate; Nitro-L-arginine methyl ester; Fluorescein isothiocyanate–albumin (Shi, X. (172) 73)

Nitro-L-arginine methyl ester
Guinea pig; 4,5-Diaminofluorescein diacetate; Nitric oxide synthase inhibitor; Fluorescein isothiocyanate–albumin (Shi, X. (172) 73)

Noise
Apoptosis; Filamentous actin; Hair cell; Caspase (Hu, B.H. (172) 1)

Noise-induced hearing loss
Hypoxia; Hair cell loss; Rat (Chen, G.-D. (172) 186)

Osmotic pump
Intracochlear electrode; Drug delivery system; Cochlear implant; Cochlear infusion; Electrical stimulation; Neurotrophin; Deafness (Shepherd, R.K. (172) 92)

Ototoxicity
Cisplatin; Guinea pig; Compound action potential; Protection; Melanotan-II (Wolters, F.L.C. (172) 110)

Stria vascularis; Endocochlear potential; Deafness; Aminoglycoside; K^+ ion transport (Hellier, W.P.L. (172) 127)

Potassium channel; Hearing loss; Cochlear action potential; Stria vascularis; Blood-labyrinth barrier (Hartmann, R. (172) 145)

Outer hair cell
Active amplification; Cochlear model; Micromechanics (Fukazawa, T. (172) 53)

Pharmacology
Vestibular; Signal transduction; Metabotropic glutamate receptor (Hendricson, A.W. (172) 99)

Phase-locking
Neural synchrony; Neural coding; Coincidence detection; Vocalisation (Wallace, M.N. (172) 160)

Poststimulus-time histogram
Superior paraolivary nucleus; Mongolian gerbil; Superior olivary complex; Frequency-intensity tuning; Single unit recording (Dehmel, S. (172) 18)

Potassium channel
Ototoxicity; Hearing loss; Cochlear action potential; Stria vascularis; Blood-labyrinth barrier (Hartmann, R. (172) 145)

Presbyacusis
Endocochlear potential; Compound action potential; Auditory nerve; C57 BL/6J mice; Forward masking (Lang, H. (172) 118)

Cochlea; Lateral wall; Fibrocytes; Ultrastructure; Aging (Spicer, S.S. (172) 172)

Protection
Cisplatin; Guinea pig; Compound action potential; Ototoxicity; Melanotan-II (Wolters, F.L.C. (172) 110)

Rabbit
Inner ear; Hair cell; Hearing; Development (Borg, E. (172) 10)

Rat
Gap detection; Temporal resolution; Bilateral ablation; Auditory cortex (Syka, J. (172) 151)

Hypoxia; Noise-induced hearing loss; Hair cell loss (Chen, G.-D. (172) 186)

Regeneration
Chicken; Hair cell; DNA-binding protein; Transcription factor (Roberson, D.W. (172) 62)

Rho/Rac/Cdc42
Aminoglycoside toxicity; *Clostridium difficile* toxin B; G protein; Hair cell; c-Jun-N-terminal kinase (Bodmer, D. (172) 81)

Signal transduction
Vestibular; Pharmacology; Metabotropic glutamate receptor (Hendricson, A.W. (172) 99)

Single unit recording
Superior paraolivary nucleus; Mongolian gerbil; Superior olivary complex; Frequency-intensity tuning; Poststimulus-time histogram (Dehmel, S. (172) 18)

Spontaneous activity
Hyperactivity; Dorsal cochlear nucleus; Cochlear ablation; Tinnitus (Zacharek, M.A. (172) 137)

Stria vascularis
Endocochlear potential; Deafness; Aminoglycoside; Ototoxicity; K^+ ion transport (Hellier, W.P.L. (172) 127)

Potassium channel; Ototoxicity; Hearing loss; Cochlear action potential; Blood-labyrinth barrier (Hartmann, R. (172) 145)

Superior olivary complex
Superior paraolivary nucleus; Mongolian gerbil; Frequency-intensity tuning; Poststimulus-time histogram; Single unit recording (Dehmel, S. (172) 18)

Superior paraolivary nucleus
Mongolian gerbil; Superior olivary complex; Frequency-intensity tuning; Poststimulus-time histogram; Single unit recording (Dehmel, S. (172) 18)

Temporal resolution
Gap detection; Bilateral ablation; Auditory cortex; Rat (Syka, J. (172) 151)

Therapeutic window
Audiological evaluation; Deafness; Hearing loss; Hypothalamic hypothyroidism; Thyroid failure (Wasniewska, M. (172) 87)

Thyroid failure
Audiological evaluation; Deafness; Hearing loss; Hypothalamic hypothyroidism; Therapeutic window (Wasniewska, M. (172) 87)

Tinnitus
Hyperactivity; Spontaneous activity; Dorsal cochlear nucleus; Cochlear ablation (Zacharek, M.A. (172) 137)

Transcription factor
Chicken; Hair cell; Regeneration; DNA-binding protein (Roberson, D.W. (172) 62)

Ultrastructure
Cochlea; Lateral wall; Fibrocytes; Aging; Presbyacusis (Spicer, S.S. (172) 172)

Vestibular
Afferent; Crista ampullares; Labyrinth (Hoffman, L.F. (172) 37)

Pharmacology; Signal transduction; Metabotropic glutamate receptor (Hendricson, A.W. (172) 99)

Vocalisation
Neural synchrony; Neural coding; Coincidence detection; Phase-locking (Wallace, M.N. (172) 160)